



An effervescent 2-bolus fresh cow supplement designed with live yeast, multiple calcium sources, and essential nutrients.

All fresh dairy cows face significant health challenges with suppressed immunity and need more than just calcium to help boost intakes and ensure a quick recovery. Built from the trusted and recognized YMCP global brand, YMCP Vital is the total fresh cow product. Science-designed and demonstrated to help cows get back on feed faster, produce more milk, and respond to fresh cow challenges by boosting blood calcium levels. Our patent pending bolus utilizes other protected technologies to deliver essential nutrients including live yeast, calcium, magnesium, potassium and more, now in an efficient, easy-to-use application.

KEY FUNCTIONAL COMPONENTS: Live Yeast, Magnesium, Calcium, Potassium, Electrolytes, Niacin

FEATURES & BENEFITS

- Only pressed bolus on the market containing live yeast, to get cows on feed sooner
- Studies show increased daily milk weights and feed intake
- Built off the trusted and recognized YMCP global brand, and widely accepted by vets
- Bolus allows quicker/easier administration
- A unique effervescent bolus for optimal dispersion in the rumen
- University research demonstrating proven results
- Provides Calcium and other nutrients that meet fresh cow needs to get back on feed and recover

QUICK REFERENCE

- Contains high levels of highly bio-available calcium in the form of Calcium Chloride
- Shelf Stable
- Live yeast helps the rumen more rapidly adapt to the changing diet of a fresh cow
- Patented technologies help to provide a non-corrosive bolus that allows easy administration and quick dispersion of calcium sources, reducing the risk of rumen discomfort
- Effervescent technology helps enhance rapid availability of critical nutrients

WHEN TO USE

- Immediately post-calving to support the transition into lactation for all cows
- For early lactation cows that are energy deficient
- For all fresh cows, to help boost intakes
- For post-surgery and other stress events
- As a follow up to intravenous calcium administration to maintain calcium levels
- To support peak milk production



DIRECTIONS FOR USE

Give 2 boluses of YMCP Vital immediately after calving. Another 2 boluses may be given 12 to 24 hours later. Boluses are given to a cow using the YMCP Vital applicator. Access to fresh, clean water at all times is recommended.

Insert both boluses into the bolus applicator.


Carefully guide the loaded YMCP Vital applicator into the cow's mouth. When resistance is felt, gently direct the applicator beyond the tongue, then squeeze the handle to release both boluses.

Gently remove the applicator, allowing the cow to swallow boluses.


AVAILABLE PACKAGE SIZES - CONTROL NUMBER

- 12-2 bolus packets 20015-085
- 32-2 bolus packets 20015-089


Easy to use, shelf stable, innovative technology



Insert both boluses into the bolus applicator.



Carefully guide the loaded YMCP Vitall applicator into the cow's mouth. When resistance is felt, gently direct the applicator beyond the tongue, then squeeze the handle to release both boluses.



Gently remove the applicator, allowing the cow to swallow the boluses.

Research proves that the ingredients in YMCP Vitall make it the TOTAL fresh cow product!

Barkley, N.M. 2013. Effect of commercial feed additives on production variables and metabolic markers of the periparturient dairy cow. PhD Dissertation. University of Missouri-Columbia. <https://mospace.umsystem.edu/xmlui/bitstream/handle/10355/42632/Research.pdf?sequence=1>

Chaucheyras-Durand, F., N. D. Walker, and A. Bach. 2008. Effects of active dry yeasts on the rumen microbial ecosystem: Past, present and future. Anim. Feed Sci. and Tech. 145(1-4):5-26. <http://www.sciencedirect.com/science/article/pii/S0377840107002787>

DeGaris, P. J., and I. J. Lean. 2007. Milk fever in dairy cows: A review of pathophysiology and control principles. Vet. J. 176(1):58-96. <http://www.sciencedirect.com/science/article/pii/S1090023307004261>

DeVries, T. J., and E. Chevaux. 2014. Modification of the feeding behavior of dairy cows through live yeast supplementation. J. Dairy Sci. 97(10):6499-510. <https://www.ncbi.nlm.nih.gov/pubmed/25108867>

Ferraretto, L.F., R.D. Shaver, and S. J. Bertics. 2012. Effect of dietary supplementation with live-cell yeast at two dosages on lactation performance, ruminal fermentation, and total-tract nutrient digestibility in dairy cows. J. Dairy Sci. 95(7):4017-4028. <http://dx.doi.org/10.3168/jds.2011-5190>

Goff, J. P. 2001. Managing the transition/fresh cow. Proceedings for the 5th Western Dairy Management Conference. Pages 99-106. <http://wdmc.org/2001/WDMC2001p099-106.pdf>

Moallem, U., H. Lehrer, L. Livshitz, M. Zachut, S. Yakoby. 2009. The effects of live yeast supplementation to dairy cows during the hot season on production, feed efficiency, and digestibility. J. Dairy Sci. 92(1):343-351. [http://www.journalofdairyscience.org/article/S0022-0302\(09\)70337-6/pdf](http://www.journalofdairyscience.org/article/S0022-0302(09)70337-6/pdf)

Nocek, J. E., M. G. Holt, and J. Oppy. 2011. Effects of supplementation with yeast culture and enzymatically hydrolyzed yeast on performance of early lactation dairy cattle. J. Dairy Sci. 94:4046-4056. [http://www.journalofdairyscience.org/article/S0022-0302\(11\)00408-5/pdf](http://www.journalofdairyscience.org/article/S0022-0302(11)00408-5/pdf)

Oetzel, G. R. 2012. Effect of oral calcium bolus supplementation on early-lactation health and milk yield in commercial dairy herds. J. Dairy Sci. 95(2):7051-7065. [http://www.journalofdairyscience.org/article/S0022-0302\(12\)00722-9/fulltext](http://www.journalofdairyscience.org/article/S0022-0302(12)00722-9/fulltext)

Rosow, H. A., T. Riordan, and A. Riordan. 2017. Effects of additional of a live yeast product on dairy cattle performance. J. Applied Anim. Res. <http://www.tandfonline.com/doi/full/10.1080/09712119.2017.1281810>

Nutrient requirements of dairy cattle. <https://www.nap.edu/catalog/9825/nutrient-requirements-of-dairy-cattle-seventh-revised-edition-2001>

Wohlt, J. E., T. T. Corcione, and P. K. Zajac. 1998. Effect of yeast on feed intake and performance of cows fed diets based on corn silage during early lactation. J. Dairy Sci. 81(5):1345-1352. [http://www.journalofdairyscience.org/article/S0022-0302\(98\)75697-8/pdf](http://www.journalofdairyscience.org/article/S0022-0302(98)75697-8/pdf)

