

This information is for promotional purposes only. Space considerations may require information to be omitted.
Always refer to the actual package label for complete use directions. This product may not yet be available or approved for sale or use in your area.

Promika ZoGuard[®] plus FOR CATS

**READ ENTIRE LABEL BEFORE EACH USE.
USE ONLY ON CATS AND KITTENS WEIGHING OVER 1.5 LBS & 8 WEEKS OF AGE.**

Promika ZoGuard[®] Plus for Cats contains Fipronil and (S)-Methoprene (insect growth regulator) to effectively kill fleas and ticks. The active ingredients in Promika ZoGuard Plus for Cats features a formula developed for fast-acting and long-lasting for up to 4 weeks control of fleas, ticks, and chewing lice for up to 1 month on cats.

ACTIVE INGREDIENTS:

| | |
|--------------------------|---------------|
| Fipronil: | 9.80% |
| (S)-methoprene: | 11.80% |
| OTHER INGREDIENTS: | 78.40% |
| TOTAL: | 100.0% |

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

HAZARDS TO DOMESTIC ANIMALS. For external use on cats only. Individual sensitivities may occur after using any pesticide product on cats. Certain medications can interact with pesticides. Do not treat your cat with more than one pesticide product at a time. Over dosing your cat can result in serious illness and even death. Consult a veterinarian before using on medicated, debilitated, aged cats. Can be used on breeding, pregnant, or lactating cats. Consult a veterinarian before using on cats with known organ dysfunction. This product is not a substitute for prescribed Heartworm preventative.

FIRST AID

| | |
|----------------------|---|
| If in eyes: | Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a Poison Control Center or doctor for treatment advice. |
| If swallowed: | Call a poison control center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. |
| If on skin: | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. |

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency medical treatment information, you may contact SafetyCall at 1-844-685-9173 seven days a week, 24-hours a day.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT ALLOW CHILDREN TO APPLY PRODUCT. TO PREVENT HARM TO YOU AND YOUR CAT, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. Do not use on rabbits or animals other than cats.

How to open: Refer to package insert on directions on how to open package.

How to apply: Remove applicators from packaging. Using one applicator, hold the applicator with the narrow end pointing up. Snap the outline of the tip back to allow access to the applicator. Holding applicator away from your and your cat's eyes, cut the applicator tip with scissors on dotted line. Apply this product at a spot between the cat's shoulder blades. Part the hair and place the open end of the applicator just above the skin. Squeeze the entire contents of the applicator and direct the solution in one spot and onto the cat's skin. Allow the area to dry. Use only one applicator per treatment.

Side Effects (Cats): Monitor your cat after application. Cats may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. In some cases, gastrointestinal signs such as vomiting or diarrhea may occur. If these or other side effects occur, consult your veterinarian or call 1-844-685-9173. If your cat has an unusual reaction to the initial application, consult a veterinarian before repeating application. The most common signs of incidental ingestion are excessive salivation and foaming at the mouth. If these symptoms occur, immediately feed your cat and continue to monitor your cat for the next 24 hours.

PRODUCT INFORMATION

Use Promika ZoGuard Plus for Cats monthly for control of fleas, ticks and chewing lice infestations. Studies show that Promika ZoGuard Plus for Cats kills adult fleas, flea eggs, and flea larvae and prevents development of all flea stages for up to six weeks. Apply monthly if your cat is at high risk for flea reinfestation. Apply monthly to control ticks and chewing lice. Promika ZoGuard Plus for Cats remains effective, even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Avoid contact with treated area until dry. Do not reapply for 30 days. Promika ZoGuard Plus for Cats can be used on breeding, pregnant and lactating female cats.

If you have questions or comments about this product, please write:

Promika, LLC
5000 CentreGreen Way, Suite 100, Cary, NC 27513

©2018 Promika. ZoGuard[®] is a trademark of Promika, LLC.
Frontline[®] is a registered trademark of Merial. ZoGuard[®] Plus for Cats is not manufactured, or distributed by Merial, seller of Frontline[®] Plus for Cats.

Contains Fipronil and (S)-Methoprene,
the active ingredients used in
FRONTLINE[®] Plus for Cats

**ONLY For Cats & Kittens Older Than
8 Weeks & Weighing Over 1.5 lbs.**

Apply one applicator (0.50 mL) (0.017 fl oz)

Three 0.017 fl oz (0.50 mL) Applicators

Net Contents: 0.051 fl oz

KILLS



FLEAS



TICKS



FLEA EGGS



FLEA LARVAE



**CHEWING
LICE**

DIRECTIONS FOR USE

Remove applicators from packaging. Using one applicator, hold the applicator with the narrow end pointing up. Snap the outline of the tip back to allow access to the applicator. Holding applicator away from your and your cat's eyes, cut the applicator tip with scissors on dotted line. Apply this product at a spot between the cat's shoulder blades. Part the hair and place the open end of the applicator just above the skin. Squeeze the entire contents of the applicator and direct the solution in one spot and onto the cat's skin. Allow the area to dry. Use only one applicator per treatment.



STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not remove applicator from the pack until ready to use. Store in a cool (below 77°F/25°C) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. If empty: Offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



Distributed by:
Promika, LLC
5000 CentreGreen Way, Suite 100
Cary, NC 27513

In Case of Emergency,
Call: 1-844-685-9173

EPA Reg. No. 91300-6